

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listing, of claims in the application:

1. (original) A method of providing computing services in a networked computing environment, comprising the steps of:

providing a computing device a software module from a remote computing device for allowing exchange of data between the computing device and the remote computing device;

providing the computing device, through the software module, an emulation of an operating system of the remote computing device;

providing the computing device, through the software module, an emulation of the computing device's desktop configuration, the desktop configuration being passed to the computing device from the remote computing device;

monitoring actions at the computing device by the operating system of the remote computing device;

in response to the actions at the computing device, updating the emulation of the operating system provided to the computing device; and

in response to the actions at the computing device, updating the emulation of the desktop configuration provided to the computing device.

2. (original) The method of Claim 1, prior to the step of providing a computing device a software module from a remote computing device, further comprises the steps of:

connecting a computing device to a remote computing device via a networked computing environment.

3. (original) The method of Claim 2, wherein the step of connecting a computing device to a remote computing device via a networked computing environment, further comprises the steps of:

connecting the computing device to the remote computing device via the Internet.

4. (original) The method of Claim 2, wherein the step of connecting a computing device to a remote computing device via a networked computing environment, further comprises the steps of:

connecting the computing device to the remote computing device via an intranet.

5. (original) The method of Claim 2, wherein the step of connecting a computing device to a remote computing device via a networked computing environment, further comprises the steps of:

authenticating authority for the computing device to connect to the remote computing device.

6. (original) The method of Claim 1, wherein the step of providing a computing device a software module from a remote computing device, further comprises the steps of:

providing the computing device a web page from the remote computing device, the web page having the software module embedded therein.

7. (original) The method of Claim 6, wherein the remote computing device includes a web server, and wherein the step of providing the computing device a web page includes providing the web page through the web server.

8. (original) The method of Claim 6, wherein the software module is an ActiveX control.

9. (original) The method of Claim 1, wherein the actions at the computing device include keyboard strokes, mouse movements, and mouse clicks.

10. (original) The method of Claim 1, further comprising the step of:  
providing the computing device use of a software application, the software application being resident on the remote computing device.

11. (original) The method of Claim 10, wherein the step of providing the computing device use of a software application, further comprises the steps of:

providing a plurality of software applications subscribed to for use by the computing device; and

providing changes to the plurality of software applications at the remote computing device.

12. (original) The method of Claim 11, wherein the remote computing device includes a terminal server, and wherein the step of providing the computing device use of a software application, further comprises the step of providing the software module and the software application through the terminal server.

13. (original) The method of Claim 1, further comprising the steps of:  
receiving data from the computing device;  
storing the data received from the computing device on the remote computing device;  
storing authentication information and the desktop configuration on the remote computing device; and  
retrieving the data from the remote computing device for use by the computing device.

14. (original) The method of Claim 13, wherein the remote computing device includes a file server, and wherein the steps of storing the data, storing authentication information, and storing the desktop configuration, further include:  
storing the data on the file server;  
storing authentication information and the desktop configuration on the file server; and  
securing the data received from the computing device from unauthorized use by a second computing device.

15. (currently amended) The method of Claim 1, further comprising ~~the steps of~~:  
providing electronic mail services to the computing device from the remote computing device, [[:]]

16. (original) The method of Claim 1, wherein the remote computing device includes a domain controller and wherein the domain controller performs the steps of:  
managing access to the remote computing device; and  
securing the remote computing device from unauthorized access.

17. (original) The method of Claim 1, wherein the remote computing device includes a plurality of computing devices, and wherein the method of Claim 1 further comprises the steps of:

determining whether the computing device has previously been connected to one of the plurality of remote computing devices; and

if so, then the step of connecting a computing device to a remote computing device includes reconnecting the computing device to the one of the plurality of remote computing devices.

18. (currently amended) A method of providing computing services in a networked computing environment, comprising the steps of:

connecting a plurality of computing ~~device~~ devices to a remote terminal server via a networked computing environment;

authenticating authority for each ~~the~~ computing device to connect to the remote terminal server;

providing each ~~the~~ computing device a software module from the terminal server for allowing exchange of data between the computing device and the remote terminal server;

providing each ~~the~~ computing device, through the software module, an emulation of an operating system of the remote terminal server;

providing each ~~the~~ computing device, through the software module, an emulation of the computing device's desktop configuration, the desktop configuration being passed to the computing device from the remote terminal server;

monitoring actions at each ~~the~~ computing device by the operating system of the remote terminal server;

in response to the actions at each ~~the~~ computing device, updating the emulation of the operating system provided to the computing device;

in response to the actions at each ~~the~~ computing device, updating the emulation of the desktop configuration provided to the computing device; and

providing each ~~the~~ computing device use of a software application, the software application being resident on the remote terminal server; and

~~receiving data at the computing device, and storing the data received at the computing device on the remote terminal server.~~

19. (currently amended) The method of Claim 18, wherein the step of providing each ~~the~~ computing device use of a software application, further comprises the steps of:

providing a plurality of software applications subscribed to for use by each ~~the~~ computing device; and

providing changes to the plurality of software applications at the remote terminal server.

20. (original) A computer readable medium having stored thereon computer-executable instructions which when executed by a computer, perform the steps of:

providing a computing device a software module from a remote computing device for allowing exchange of data between the computing device and the remote computing device;

providing the computing device, through the software module, an emulation of an operating system of the remote computing device;

providing the computing device, through the software module, an emulation of the computing device's desktop configuration, the desktop configuration being passed to the computing device from the remote computing device;

monitoring actions at the computing device by the operating system of the remote computing device;

in response to the actions at the computing device, updating the emulation of the operating system provided to the computing device; and

in response to the actions at the computing device, updating the emulation of the desktop configuration provided to the computing device.

21. (original) The computer readable medium of Claim 20 having stored thereon computer-executable instructions which when executed by a computer, prior to the step of providing a computing device a software module from a remote computing device for allowing exchange of data between the computing device and the remote computing device, further perform the steps of:

connecting a computing device to a remote computing device via a networked computing environment;

authenticating authority for the computing device to connect to the remote computing device; and

providing the computing device a web page from the remote computing device, the web page having the software module embedded therein, whereby the software module is an ActiveX control.

22. (original) The computer readable medium of Claim 20 having stored thereon computer-executable instructions which when executed by a computer, further perform the steps of:

providing the computing device use of a software application, the software application being resident on the remote computing device; and

providing changes to the software application at the remote computing device.

23. (original) The computer readable medium of Claim 20 having stored thereon computer-executable instructions which when executed by a computer, further perform the steps of:

- receiving data from the computing device;
- storing the data received from the computing device at the remote computing device;
- storing authentication information and the desktop configuration at the remote computing device; and
- retrieving the data from the remote computing device for use by the computing device.

24. (original) A propagated signal on which is carried computer-executable instructions which when executed by a computer, perform the steps of:

- providing a computing device a software module from a remote computing device for allowing exchange of data between the computing device and the remote computing device;

- providing the computing device, through the software module, an emulation of an operating system of the remote computing device;

- providing the computing device, through the software module, an emulation of the computing device's desktop configuration, the desktop configuration being passed to the computing device from the remote computing device;

- monitoring actions at the computing device by the operating system of the remote computing device;

- in response to the actions at the computing device, updating the emulation of the operating system provided to the computing device; and

- in response to the actions at the computing device, updating the emulation of the desktop configuration provided to the computing device.

25. (original) The propagated signal of Claim 24 carrying thereon computer-executable instructions which when executed by a computer, prior to the step of providing a computing device a software module from a remote computing device for allowing exchange of

data between the computing device and the remote computing device, further perform the steps of:

- connecting a computing device to a remote computing device via a networked computing environment;

- authenticating authority for the computing device to connect to the remote computing device; and

- providing the computing device a web page from the remote computing device, the web page having the software module embedded therein, whereby the software module is an ActiveX control.

26. (original) The propagated signal of Claim 24 carrying thereon computer-executable instructions which when executed by a computer, further perform the steps of:

- providing the computing device use of a software application, the software application being resident on the remote computing device; and

- providing changes to the software application at the remote computing device.

27. (original) The propagated signal of Claim 24 carrying thereon computer-executable instructions which when executed by a computer, further perform the steps of:

- receiving data from the computing device;

- storing the data received from the computing device at the remote computing device;

- storing authentication information and the desktop configuration at the remote computing device; and

- retrieving the data from the remote computing device for use by the computing device.

28. (original) A system for providing computing services in a networked computing environment, comprising:

- a domain controller operative to authenticate authority for a computing device to connect to a remote terminal server via a networked computing environment;

- a remote terminal server operative



- to connect to a computing device;
- to provide the computing device a software module for allowing exchange of data between the computing device and the remote terminal server;
- to provide the computing device, through the software module, an emulation of an operating system of the remote terminal server;
- to provide the computing device, through the software module, an emulation of the computing device's desktop configuration, the desktop configuration being passed to the computing device from the remote terminal server;
- to monitor actions at the computing device by the operating system of the remote terminal server;
- to update the emulation of the operating system provided to the computing device in response to the actions at the computing device;
- to update the emulation of the desktop configuration provided to the computing device in response to the actions at the computing device;
- to provide the computing device use of a software application, the software application being resident on the remote terminal server; and
- a file server operative
  - to receive data from the computing device, and
  - to store the data received at the computing device at the remote terminal server.

29. (original) The system of Claim 28, wherein the terminal server is further operative:

- to provide a plurality of software applications subscribed to for use by the computing device; and
- to provide changes to the plurality of software applications at the remote terminal server.

30. (original) The system of Claim 28, whereby the domain controller is further operative

to manage access to the terminal server by the computing device; and  
to secure the terminal server from unauthorized access.

31. (original) The system of Claim 28, wherein the remote terminal server includes a plurality of terminal servers, and whereby the domain controller is further operative

to determine whether the computing device has previously been connected to one of the plurality of terminal servers; and

if so, then to reconnect the computing device to the one of the plurality of terminal servers.

32. (original) The system of Claim 28, further comprising,  
a web server operative

to provide a web page, through the terminal server, to the computing device, the web page containing the software module embedded therein.

33. (original) The system of Claim 32, whereby the software module is an ActiveX control.